



पाणिनी गाउँपालिका

Panini Rural Municipality

गाउँ कार्यपालिकाको कार्यालय

प.सं./Letter No.: ०८२/८३ Office of the Rural Municipal Executive

च.नं./Ref. No.:

☎ W744 QGC

☎ 9857086520

दुर्गाफाँट, अर्घाखाँची  
Durgaphant, Arghakhanchi  
लुम्बिनी प्रदेश, नेपाल  
Lumbini Province, Nepal



सूचना !

सूचना !!

सूचना !!!

### कोटेशन पेश गर्ने सम्बन्धी सूचना ।

प्रथम पटक प्रकाशित मिति: २०८३/०१/२२

पाणिनी गाउँपालिकाको चालु आ.व. ०८२/८३ को वार्षिक स्वीकृत बजेट तथा कार्यक्रम अन्तर्गत मागमा आधारित कृषि सामग्रीहरू खरिद गर्नको लागि उद्योग/सप्लायर्सले यसै साथ संलग्न (BOQ) भरी तपसिलका कागजात सहित कोटेशन पेश गर्न इच्छुक उद्योग/सप्लायर्सले यो सूचना प्रकाशन भएको मितिले सात (७) सात दिन भित्र पाणिनी गाउँ कार्यपालिका कार्यालय समयमा खामबन्दी Hard Copy Quotation पेश गर्नुहुन अनुरोध छ ।

#### तपसिल

#### संलग्न गर्नुपर्ने कागजात

- सम्बन्धित निकायमा दर्ता तथा नविकरण भएको उद्योग/सप्लायर्सको प्रमाण पत्रको प्रतिलिपी ।
- PAN दर्ता प्रमाणपत्रको प्रतिलिपी ।
- करचुक्ताको प्रमाणपत्रको प्रतिलिपी ।
- उद्योग/सप्लायर्स/फर्म कार्यालयम सूचिकृत नभएको भए सर्वप्रथम सूचिकृत गरिसकेपछि मात्र कोटेशन पेश गर्नुहुन ।
- यसै साथ संलग्न BOQ मा भरी सही छाप गरी खामबन्दी पेश गर्नुपर्नेछ ।

(सुवर्ण खनाल)

प्रमुख प्रशासकीय अधिकृत



पाणिनि गाउँपालिका  
कार्यपालिका कार्यालय  
दुर्गाफाँट, अर्घाखाँची।

आ.व. २०८२/०८३

सुवर्ण खनाल  
प्रमुख प्रशासकीय अधिकृत

तपशिल बमोजिमको स्पेशिफिकेशनको सामान खरिदको लागि  
(BOQ)

तपसिल:

क्र.सं.	विवरण	विशिष्टीकरण	एकाई	प्रति एकाई दर भ्याट बाहेक	काफियत
1)	Chaff cutter	<b>Model: Any</b> <b>Type:</b> Automatic, suitable for both green, dry soft grass and bush and box type <b>Power:</b> Single Phase, <b>3Hp</b> Motor <b>Working Capacity:</b> 400-800Kg/hr <b>Number of Bades: 3</b>  <b>RPM: &gt;=1600</b> <b>Warranty:</b> Minimum 1(One) year			
2)	Mini tiller Petrol 7Hp	<b>Model: Any</b> <b>Tilling width(mm):</b> >700 <b>Tilling depth(mm):</b> ≥100 <b>Engine:</b> Single cylinder, 4 stroke, Air cooled <b>Max power (Hp/RPM):</b> 7Hp/3200 <b>Starting System:</b> Manual Recoil Starter/Electric <b>Fuel Capacity:</b> ≥3ltr <b>Fuel Consumption(g/Kw.h):</b> ≥350 <b>Fuel/lubricant:</b> Petrol/SAE 10W30 <b>Transmission:</b> Gear or Belt Driven. <b>Gear shifting:</b> 1,2,0,-1 <b>Number of Blades:</b> ≥24 <b>Productivity(m<sup>2</sup>/hr):</b> ≥600 <b>Net Weight:</b> Portable <b>Warranty and Extra:</b> At least one year, Service set for first service, and certification from CE/ISO/manufacturing test certificate	No(s)		



सुवर्ण खनाल  
सामख प्रशासकीय अधिकृत

3)	Mini Tiller diesel 3Hp	<p><b>Model:</b> Any  <b>Tilling width(cm):</b>280-380  <b>Tilling depth(cm):</b>75-175  <b>Engine:</b>Single cylinder,4 stroke, Air cooled  <b>Max power (Hp/RPM):</b> 3Hp/3200  <b>Starting System:</b>Manual Recoil Starter/Electric  <b>Displacement:</b>52cc to 80cc  <b>Fuel Capacity:</b>1.2-1.5 ltr  <b>Fuel Consumption(g/Kw.h):</b>Approx. 0.65 L/hr to 1 L/hr.  <b>Fuel/lubricant:</b>Petrol/SAE 10W30  <b>Transmission:</b> Gear or Belt Driven.  <b>Gear shifting:</b>1,2, 0, -1  <b>Number of Blades:</b>≥16  <b>Net Weight:</b> Portable  <b>Warranty and Extra:</b> At least one year, Service set for first service, and certification from CE/ISO/manufacturing test certificate</p>	No(s)		
4)	Telescopic Ladder (4m)	<p><b>Material:</b> Aluminum alloy,Heavy-duty steel  <b>Load Capacity:</b> 150-250 Kg  <b>Weight of Ladder:</b> 9 to 13 Kg  <b>Type:</b> Telescopic and foldable  <b>Steps /Rungs:</b> Max 15  <b>Safety Standard:</b>EN131 standard</p>	No(s)		
5)	3Hp Diesel Mini tiller	<p><b>Engine &amp; Power:</b>  <b>Horsepower:</b> 3 HP (approx. 2.2 kW)  <input type="checkbox"/> <b>Engine Type:</b> 4-Stroke, Horizontal Shaft, Single Cylinder, Air-Cooled  <input type="checkbox"/> <b>Rated Speed:</b> 3000 – 3600 RPM  <input type="checkbox"/> <b>Fuel Type:</b> Diesel  <input type="checkbox"/> <b>Starting Method:</b> Hand Recoil/Pull Start  <input type="checkbox"/> <b>Fuel Tank Capacity:</b> ≤3 Liters (approx.)  <input type="checkbox"/> <b>Oil Capacity:</b> 0.7 Liters (Approx.)  <b>Tilling &amp; Performance:</b>  <b>Working Width:</b> 300 – 600 mm (approx.)</p>	No(s)		



सुवर्ण खनाल  
प्रमुख प्रशासकीय अधिकृत

		<p>12–24 inches)  <b>Working Depth:</b> 150 – 300 mm (approx. 6–12 inches)  <b>Blades:</b> ≥16  <b>Transmission:</b> Gear Drive or Chain Drive</p> <p><b>Gear Shifting:</b> 2 Forward, 1 Reverse or 1 Forward, 1 Reverse</p> <p><b>Dimensions &amp; Handling :</b>  <b>Weight:</b> Light to moderate</p> <p><b>Material:</b> Cast Iron/Aluminum Alloy  <b>Handlebars:</b> Adjustable (height and side-to-side)</p> <p><b>Key Features:</b></p> <p><b>Low Fuel Consumption:</b> Approx. <math>\backslash(310\text{g} / \text{kW}\cdot\text{h}\backslash</math></p> <p><b>Compact Design:</b> Ideal for residential gardens, orchards, and vineyards</p> <p><b>Versatility:</b> Compatible with attachments like small ploughs, furrowers, or harrows</p> <p><b>Warranty/Extra:</b>          Minimum 1(one ) year and ergonomic aspect</p>		
6	7Hp Diesel Mini Tiller	<p><b>Engine &amp; Power:</b>  <b>Engine:</b> 178F Diesel Engine (4-stroke, Single Cylinder, Air-Cooled).  <b>Max Power:</b> 7 HP (approx. 4.2 kW – 4.5 kW).  <b>Speed:</b> ~3600 rpm.  <b>Fuel Consumption:</b> <math>\backslash(\le 290\backslash) \text{g/kW}\cdot\text{h}.</math></p> <p><b>Tilling &amp; Performance:</b>  <b>Tilling Width:</b> 860 mm – 1150 mm (adjustable).  <b>Tilling Depth:</b> 100 mm – 300 mm.</p> <p><b>Blades:</b> 24 – 32 Pcs.  <b>Transmission:</b></p>	No(s)	



सुवर्ण खनाल  
प्रमुख प्रशासकीय अधिकृत

	<p><b>Transmission:</b> Full Gear Transmission with Clutch. <b>Gear Speed:</b> 2 Forward, 1 Reverse.</p> <p><b>Starting method:</b> Manual Recoil.</p> <p><b>Weight:</b> Approx. 110 Kg – 125 Kg</p> <p><b>Extra Features:</b></p> <p><b>Steering Handle:</b> Up-Down &amp; Left-Right adjustable.</p> <p><b>Tire Size:</b> 4.0-8 (Pneumatic).</p> <p><b>Accessories:</b> Included dry land/paddy wheels and rotary blades</p> <p><b>Warranty/Extra:</b> Minimum one (1) year manufacturer warranty and ergonomic in nature</p>			
--	---	--	--	--